EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	37	packets SAME "mobile radio" SAME Internet SAME TCP AND @ad<"20030320"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/19 16:48
L2	208173	Siemens.AS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/19 16:48
L3	6460	((709/237) or (709/230) or (709/250) or (370/395.52) or (370/913)).CCLS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/19 16:48
L4	53	L2 AND (L3 L1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/19 16:48
L5	225	Moonen.INV.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/19 16:48
L6	0	L5 AND (L3 L1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/19 16:48
L7	17	(US-20060224769-$ or US-20020089930-$ or US-20020046264-$ or US-20030126282-$ or US-20010023460-$ or US-20040003106-$ or US-20040158640-$ or US-20020035681-$ or US-20040122969-$ or US-20020085587-$).did. or (US-7299280-$ or US-6345296-$ or US-5852721-$ or US-6754228-$ or US-6215769-$ or US-7305486-$ or US-6272148-$).did.	US-PGPUB; USPAT	OR	ON	2009/05/19 16:48

L8	12	L7 and (slow$start (slow adj start)) and (delayed cumulative thin$4 group block every) near2 (ack acknowledg$6)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/19 16:48
L9	11	L8 AND (@ad<"20030320" @pd<"20030320")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/19 16:48
L10	12	L8 AND (@ad<"20030320" @pd<"20030320" @rlad<"20030320")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/19 16:48
L11	45	L4 AND (@ad<"20030320" @pd<"20030320" @rlad<"20030320")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/19 16:50
S1	30	packets SAME "mobile radio" SAME Internet SAME TCP AND @ad<"20030320"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 11:05
S2	3520	((709/237) or (709/230) or (370/395.52) or (970/913)). CCLS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/23 11:06
S3	2547	S2 and @ad<"20030320"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 11:04
S4	188060	Siemens.AS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 13:10
S5	191	Moonen.INV.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 11:09
S6	5203	((709/237) or (709/230) or (709/250) or (370/395.52) or (370/913)).CCLS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/23 13:10

S7	2547	S3 AND S6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 13:10
S8	0	S5 AND (S6 S1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 13:11
S9	39	S4 AND (S6 S1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 13:21
S10	5650	((709/237) or (709/230) or (709/250) or (370/395.52) or (370/913)).CCLS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/02 10:55
S11	33	packets SAME "mobile radio" SAME Internet SAME TCP AND @ad< "20030320"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 10:55
S12	202	Moonen.INV.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 10:55
S13	196915	Siemens.AS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 10:55
S14	4103	S10 and @ad< "20030320"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 10:56
S15	3851	((709/237) or (709/230) or (370/395.52) or (970/913)).CCLS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/02 10:59
S16	2660	S15 and @ad< "20030320"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 10:59

S17	2660	S16 AND S10	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 10:59
S18	227	(S12 S13) and ((number group) with packet) same (delay period time)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 11:00
S19	589	((number group) with packet) same (delay period time) and S14	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 11:01
S20	202	((number group) with packet) same (delay period time) same (after before) and S14	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 11:09
S21	51	((number group) with packet) same (delay period time) same (after before) and S18	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 11:09
S22	67	((number group) with packet) same (delay period time) same (after before) same (confirm$5 receipt ack $13) and S14	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 11:13
S23	44	((number group) near2 packet) same (delay period time wait$3) same (after before) same (confirm$5 receipt ack$13) and S14	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 11:21
S24	2	S23 NOT S22	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 11:22
S25	65	(acknowledge$4 ack) with (thinning cumulative) same (TCP slow adj start) AND (@ad<"20030320" @rlad<"20030320" @pd<"20030320")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 14:29
S26	19	(acknowledge$4 ack) with (thinning cumulative delayed) same (slow adj start) AND (@ad<"20030320" @rlad<"20030320" @pd<"20030320")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 14:39

S27	118	(acknowledge$4 ack) with (thinning cumulative delayed) and (TCP same slow adj start) AND (@ad<"20030320" @rlad<"20030320" @pd<"20030320")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 14:40
S28	29	(acknowledge$4 ack) with (thinning cumulative (every adj other)) and (TCP same slow adj start) AND (@ad<"20030320" @rlad<"20030320" @pd<"20030320")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 14:45
S29	117	(acknowledge$5 ack) with (thinning cumulative (every adj other) block) and (TCP same slow adj start) AND (@ad<"20030320" @rlad<"20030320" @pd<"20030320")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 14:45
S30	39	(acknowledge$5 ack) near2 (thinning cumulative (every adj other) block) and (TCP same slow adj start) AND (@ad<"20030320" @rlad<"20030320" @pd<"20030320")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 14:46
S31	0	(Siemens.AS. Moonen.INV.) and (acknowledge$5 ack). CLM. and TCP.CLM.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 14:47
S32	6096	((709/237) or (709/230) or (709/250) or (370/395.52) or (370/913)).CCLS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/11/18 15:10
S33	4207	S32 and @ad<"20030320"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 15:10
S34	45	((number group) near2 packet) same (delay period time wait$3) same (after before) same (confirm$5 receipt ack$13) and S33	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 15:10
S35	350	(709/237 709/230 709/250 370/395.52 370/913).CCLS. and (ack acknowledg$6) with (thin$4 cumulative delayed block (every adj other) (first adj (group number)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 15:12

S36	63	S35 and slow adj start	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 15:12
S37	55	S36 AND (@ad<"20030320" @rlad<"20030320" @pd<"20030320")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 15:13
S38	95	S34 S37	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 15:13
S39	59	S38 and (ack acknowledg$6) near2 (thin$4 cumulative delayed block (every adj other) (first adj (group number)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 15:14
S40	54	S39 NOT S30	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 15:14
S41	13	(acknowledge$5 ack) near2 (delayed) with every AND (@ad<"20030320" @rlad<"20030320" @pd<"20030320")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 15:46
S42	34	(acknowledge$5 ack) near2 (delayed) with (cumulative group block) AND (@ad<"20030320" @rlad<"20030320" @pd<"20030320")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 15:49
S43	0	(acknowledge$5 ack) near2 (delayed) with (cumulative group block) same (slow $start slow adj start) AND (@ad<"20030320" @rlad<"20030320" @pd<"20030320")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 15:49
S44	15	(acknowledge$5 ack) near2 (delayed) with (cumulative group block) and (slow$start slow adj start) AND (@ad<"20030320" @rlad<"20030320" @pd<"20030320")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/18 15:49

S45	17	(US-20060224769-$ or US-20020089930-$ or US-20020046264-$ or US-20030126282-$ or US-20010023460-$ or US-20040003106-$ or US-20040158640-$ or US-20020035681-$ or US-20040122969-$ or US-20020085587-$).did. or (US-7299280-$ or US-6345296-$ or US-5852721-$ or US-6754228-$ or US-6215769-$ or US-7305486-$ or US-6272148-$).did.	US-PGPUB; USPAT	OR	ON	2008/11/19 12:03
S46	12	S45 and (slow$start (slow adj start)) and (delayed cumulative thin$4 group block every) near2 (ack acknowledg$6)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 12:05
S47	11	S46 AND (@ad< "20030320" @pd< "20030320")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/19 12:05

5/ 19/ 2009 4:50:29 PM
C:\ Documents and Settings\ ihussain\ My Documents\ EAST\ Workspaces
\ 10549896_siemens_transmissionmethod.wsp